

9200213

## AHHE: UNIKHEID SIMMES OF AMIERICA

TO: ALL: TO: WHOM: THESE: PRESENTS: SHAVE, COME:

# Asgrow Seed Company

MICCONS, THERE HAS BEEN PRESENTED TO THE

## Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR SORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT DEBY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A3237'

In Gestimony Murror, I have hereunto sel my hand and caused the seal of the Minn't Antiety Arotection Office to be affixed at the City of Washington, D.C. this thirtieth day of April in the year of our Lord one thousand nine hundred and ninety-six.

Allad

Mars his A. Stim to Commissioner Plant Variety Protection Office

Plant Variety Protection Office Agricultural Marketing Service Secretary of Agriculture

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404 W. Washington, D.C. 20250, and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055). Washington, 20250.

U.S. DEPA AGRICULTI	RTMENT OF AGRICULTURE URAL MARKETING SERVICE			Application is required in order
APPLICATION FOR PLANT	VARIETY PROTECTIO	N CERTIFICA	ATE	determine if a plant variety protecti certificate is to be issued (7 U.S.C. 242 Information is held confidential un certificate is issued (7 U.S.C. 2426).
1. NAME OF APPLICANT(S) (as it is to appear on the Certifica	ate)	2 TEMPORARY	DESIGNATION OR	3. VARIETY NAME
Asgrow Seed Company		XP3237	i NU	A3237
4 ADDRESS (street and no or R.F.D. no., city. state, and ZIP)		5 PHONE (Includ	e area code)	FOR OFFICIAL USE ONLY
9646-190-19				PVPO NUMBER
Gull Road, Building 190		616-385-	6649	9200213
Kalamazoo. MI. 49001				F Date
		1		June 17, 1992
GENUS AND SPECIES NAME Glycine Max	7 FAMILY NAME (Botan Leguminos			Table
CROP KIND NAME (Common Name)	Legaminos	ue		F Filing and Examination Fee.
Soybean	i	DATE OF DETERMIN		F   Filing and Examination Fee.
IF THE APPLICATION		eptember.		S Daye
F THE APPLICANT NAMED IS NOT A "PERSON." GIVE FOR COPPORATION	RM OF ORGANIZATION (Corporation, pa	dnership, association.	elc )	P June 9, 1992
				C Certilicate Fee
IF INCORPORATED, GIVE STATE OF INCORPORATION	<b>!</b>	ATE OF INCORPORAT	-	V Date to CA
Delaware	M	arch 22,	1968	5 3-25-46
NAME AND ADDRESS OF APPLICANT REPRESENTATIVESS STEVE HAWKINS	), IF ANY, TO SERVE IN THIS APPLICAT 16–384–2352	ON AND RECEIVE ALL	Alan W	alker
Asgrow Seed Co.	·		Asgrow	Seed Co.
9635-190-23				wy. 14 East
Gull Road, Bldg.190 Ka	lamazoo, MI. 490	01 PHONE		ille,WI. 53546
4 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUB		rse)		•
a X Exhibit A, Origin and Breeding History of the V	Variety			
c Exhibit C. Objective Description of Variety	•			
d A Exhibit D. Additional Description of Variety				
e X Exhibit E. Statement of the Basis of Applicant	's Ownership			
Seed Sample (2,500 viable untreated seeds)	Date Seed Sample mailed to Plant 1	Variety Protection Of	lice	•
g X Filing and Examination Fee (\$2.150) made pa	ayable to "Treasurer of the United Si	ates "	,	
DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VAR Protection Act ( YES " answer dems 1		Y AS A CLASS OF CEI 10. " skip to item 18 be		section 83(a) of the Plant Variety
DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE L				ION BEYOND BREEDER SEED?
YES NO	П ғо	INDATION	REGISTER	ED CERTIFIED
DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION	, –			
				•
YES th "YES," through Plant Variety Protectio	Patent Act Give dai	e	_ >	· ·
			•	•
MAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR	SALE, OR MARKETED IN THE U.S. OR 6	THER COUNTRIES?		
YES (If "YES," give names of countries and dates)				
X NO			•	
The applicants) declare(s) that a viable sample o	Charia sanda of thia wasista will	L. C	6h1:a:-	1 102 1 11 1 1
request in accordance with such regulations as ma	ry be applicable.			
The undersigned applicant(s) is (are) the owners uniform, and stable as required in section 41, and	s) of this sexually reproduced r	ovel plant variet	y, and believe(s	that the variety is distinct,
Applicant(s) is (are) informed that false represent	ation herein can leopardize prote	e provisions of sec ection and result in	tion 42 of the Pla benalties	nt Variety Protection Act.
NATURE OF APPLICANT (Owner(s))	CAPACITY OR T		- p	DATE
	Land of the state	,	_	1-1-1
Jum Henrican	DIE	+MATTS	Tinke	1 5/28/9z
MATURE OF APPLICANT (Owner(s))	CAPACITY OR T	TLE		DATE
illa X I.I.alla	III. A	1 C.O. 10	) , , ,	- 3/63
Walley Tr. 1/1/ON Rea	TO VICEN A	1 JULYERN C	esterch	<u>  マース/ ツレ</u>

#### EXHIBIT A

### ORIGIN AND BREEDING HISTORY OF A3237

- 1985 Cross made in 1985. Parentage: A3501/A3733
- 1985-86 F1 and F2 generations grown at Isabela, Puerto Rico. (winter)
  - 1986 F3 population grown at Ames, Iowa. Three-hundred plants selected from bulk population and threshed individually.
  - 1987 Progeny row D85-1658 J87-26962 selected for it's uniformity, standability and disease resistance. This row was harvested in bulk and seeds were checked and verified for uniform hilum color and seed coat luster.

It was September, 1987, that D85-1658 J87-26962 was determined to be a stable, unique line.

- 1988 D85-1658 J87-26962 was entered in the Preliminary III Yield Test, P372, conducted at two locations, Stonington, IL. and Oxford, IN.

  D85-1658 J87-26962 was tested for Phytophthora root rot resistance in January 1989 and found to be resistant to race 1.
- 1989 D85-1658 J87-26962 was entered into the S305 Strain Yield Test grown at 8 locations including: Ames and Sperry, Iowa; Farmer City, Monmouth and Stonington, Illinois; Muncie and Oxford, Indiana; and New Hampshire, Ohio.
  - D85-1658 J87-26962 was selected for it's yield and standability and assigned the expermintal designation X3237.
- 1990 X3237 was entered in advanced yield tests which were grown at 20 locations across the midwest.
  - X3237 was tested for Phytophthora root rot resistance and found to be resistant to races 1-5, 7-11, 13, 17, 21.

## Exhibit A continued...

Breeder Seed of X3237 grown at Stonington, IL. and Oxford, IN.

X3237 was selected for it's yield and stability and renamed XP3237.

1990-91 - Breeder Seed was increased in Puerto Rico. (winter)

1991 - XP3237 was entered into advanced yield tests grown at 24 locations.

Foundation seed of XP3237 was produced near Stonington, IL.

 ${\tt XP}$  3237 was nominated for release and production and designated A3237.

A3237 is uniform and stable within commercially acceptable limits based on trial observations since its development in 1987. As with other soybean varieties, variants can occur for almost any trait during the course of repeated sexual reproduction.

Asgrow Seed Company PVP Application - Soybean, A3237 May 12, 1992

# EXHIBIT B NOVELTY STATEMENT CONCERNING A3237 SOYBEAN

To our knowledge, the soybean varieties that most closely resemble A3237 are A3127, A3322, A3501, Resnik, Pella 86, P9331, and P9341. Characteristics which differentiate A3237 include, but are not restricted to the following:

	Flower <u>Color</u>	<u>PRR</u> a	<u>Peroxidase</u>	Isocitrate b <u>Dehydrogenase</u>	Malate b <u>Dehydrogenase</u>	<u>Aconitase</u>
A3237	Purple	Rps <sub>1</sub> k	High	В	В	CC
A3127	Purp1e	Rps	High			
A3322	White	Rps <sub>1</sub> c	Low			
A3501	Purple	Rps <sub>1</sub> <sup>k</sup>	High		•	
Resnik	Purple	Rps <sub>1</sub> <sup>k</sup>	High			
Pella 86	Purple	Rps <sub>1</sub> <sup>k</sup>	Low	С	Α Α	C
P9331	Purp1e	Rps <sub>1</sub> c	High			
P9341	White	Rps				

- a.) Gene for resistance to Phytophthora Megasperma f.sp. Glycinea.
- b.) Isozyme analysis tests conducted by Alex Kahler, Biogenetics Services Inc., Brookings, South Dakota.

120

## APPENDIX A

## W300 YIELD TRIALS 1990-1991

Variety	Yield (Bu/A)	Maturity (Date)	Height (Inches)	Lodging (1=Best; 5=Worst)
A3237	65.84	9-23.90	34.55	1.60
Resnik	62.96	9-21.95	34.50	1.80
A3501	63.29	9-24.70	35.95	2.00
LSD (.05)	2.33	0.71	1.14	0.24
No. Loc.	13	10	13	10

E W.

ner y

The Contract of the Contract o

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOYB	BEAN (Glycine max L.)	•
NAME OF APPLICANT(S)	TEMPORARY DESIGNATI	ON VARIETY NAME
Asgrow Seed Company	XP3237	A3237
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip (		FOR OFFICIAL USE ONLY
9635-190-23		PVPO NUMBER
Gull Road. Bld.190		9200213
Kalamazoo. MI. 49001		<u> </u>
Choose the appropriate response which characterizes the	variety in the features descri-	bed below. When the number of significant digits
in your answer is fewer than the number of boxes provide	ed, place a zero in the first bo	ox when number is 9 or less (e.g., 0 9).
Starred characters * are considered fundamental to an ad	equate soybean variety descr	iption. Other characters should be described
when information is available.		
1. SEED SHAPE:		* * * * *
[2]		·
	w   T	10 m of \$40.17 min = (4.2)
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flatte	ned (L/W ratio > 1.2; L/T ratio = < 1.2) ned (L/T ratio > 1.2; T/W > 1.2)
5 - Clougate (1) ( 1810 ) 1.2, 114 - 1.21	- Elongate Flatte	
★ 2. SEED COAT COLOR: (Mature Seed)	•	•
	4 = Black	shar (Casaiful
1 = Yellow 2 = Green 3 = Brown	4 = Black	ther (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
	e	
1 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Ne	bsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		•
1 6 Grams per 100 seeds	•	
1 0 Grants per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
		Tar Cabas (Cassiful
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfec	t Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	• • • • • • • • • • • • • • • • • • •	
1 1 = Yellow 2 = Green	•	
	and the state of t	•
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
C C C C C C C C C C C C C C C C C C C	\$ 1 m 1	
8. SEED PROTEIN ELECTROPHORETIC BAND:		
2 1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )		•
9. HYPOCOTYL COLOR:		
	Nik kanana kanad kada a sandada	- Introduce the Trace!
3 1 = Green only ('Evans'; 'Davis') 2 = Green w 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71	vith bronze band below cotyledo	ut ("Moodwolfu": Itsch )
4 = Dark Purple extending to unifoliate leaves ('Hodgson		
10 LEASURY CHAPT		
10. LEAFLET SHAPE:		•
3 1 = Lanceolate 2 = Oval 3 = Ovat	te 4 = Other (Specify).	
The second secon		/ L

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

11. LEAFLET SIZE:  1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	9200213
12. LEAF COLOR:	
3 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
T 13. FLOWER COLOR:	
2 1 = White 2 = Purple 3 = White with purple throat	
14. POD COLOR:	
1 1 = Tan 2 = Brown 3 = Black	· .
15. PLANT PUBESCENCE COLOR:	
2 1 = Gray 2 = Brown (Tawny)	
16. PLANT TYPES:	·
1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLANT HABIT:	
1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATURITY GROUP:	
0 6 1=000 2=00 3=0 4=I 5=II 6=III 7=IV 9=VI 10=VII 11=VIII 12=IX 13=X	8 = V
19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	and the second s
BACTERIAL DISEASES:	
* 0 Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
Bacterial Blight (Pseudomonas glycinea)	
₩ () Wildfire (Pseudomonas tabaci)	
FUNGAL DISEASES:	
★ 0 Brown Spot (Septoria glycines)	
Frogeye Leaf Spot (Cercospora sojina)	
* 0 Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Sp.	ecify)
Target Spot (Corynespora cassiicola)	
Downy Mildew (Peronospora trifoliorum var. manshurica)	
Powdery Mildew (Microsphaera diffusa)	
★ 0 Brown Stem Rot (Cephalosporium gregatum)	·
O Stem Canker (Diaporthe phaseolorum var. caulivora)	ing.

19	DISEASE REACTION	ON: (Enter 0 = Not Tested; 1 = Susceptible	; 2 = Resistant) (Continued)	
•	FUNGAL DISEA	SES: (Continued)		9200213
*	0 Pod and St	em Blight <i>(Diaporthe phaseolorum</i> var; soja	e <b>j</b>	•
1	0 Purple Seed	d Stain (Cercospora kikuchii)		
	0 Rhizoctoni	a Root Rot <i>(Rhizoctonia solani)</i>		
	Phytophthe	ora Rot (Phytophthora megasperma var. soja	ae)	•
*	2 Race 1	2 Race 2 2 Race 3	2 Race 4 2 Race	5 0 Race 6 2 Race 7
	2 Race 8	2 Race 9 2 Other (Specify	N Race 10, 11, 13.	, 17, 21
	VIRAL DISEASE	S:		
	0 Bud Blight	(Tobacco Ringspot Virus)		
	O Yellow Mos	aic (Bean Yellow Mosaic Virus)		en e
*	0 Cowpea Mo	saic (Cowpea Chlorotic Virus)		
	Pod Mottle	(Bean Pod Mottle Virus)		
*	0 Seed Mottle	(Soybean Mosaic Virus)		
	NEMATODE DISE	ASES:		•
	Soybean Cy	st Nematode (Heterodera glycines)		
*	0 Race 1	0 Race 2 1 Race 3	1 Race 4 0 Other	(Specify)
	0 Lance Nema	tode (Hoplolaimus Colombus)		
*	0 Southern Ro	oot Knot Nematode ( <i>Meloidogyne incognita</i> )		
*	0 Northern Ro	oot Knot Nematode (Meloidogyne Hapla)		
• .	O Peanut Root	Knot Nematode (Meloidogyne arenaria)		
	<del></del>	ematode (Rotylenchulus reniformis)		
	0 OTHER DIS	EASE NOT ON FORM (Specify):		en e
	HYSIOLOGICAL RE	ESPONSES: (Enter 0 * Not Tested; 1 = Sus	ceptible; 2 = Resistant)	en en en demographe de la companyación de la compan
*	1 Iron Chlorosi	s on Calcareous Soil		and the second section of the second
[	Other (Special	(v)		
21. IN	SECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant)	And the second of the second o
	Mexican Bear	n Beetle (Epilachna varivestis)		ing the second of the second o
	O Potato Leaf H	Hopper (Empoasca fabae)		en e
	Other (Specif	·y/		
22. IN	DICATE WHICH VA	ARIETY MOST CLOSELY RESEMBLES TO	HAT SUBMITTED.	
	CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Pla	nt Shape	A3127	Seed Coat Luster	A3322
Lea	of Shape	A3127	Seed Size	A3205
Lea	if Color	Pion. P9341	Seed Shape	A3127
Lea	f Size	A3127	Seedling Pigmentation	A3127
			•	NO 127
FORM L	MGS-470-57 (6-83)			

23	GIVE DATA FOR SUBMITTED AND SH	ALL AD STANDARD VA	ADIETY, Daired Communicate Base	_
20.	O.A. DVIV LOW SORMILLIED WAD SH	MICAN STANDAND AN	MINICITA PAIRED COMPARISON DAD	

92	0	<u>02</u>	day.	5	
D SIZE			N	0.	
1100		-		ne.	,

								- 444	· · ·
VARIETY	NO. OF PLANT DAYS LODGING		CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
A3237 Submitted	125	1.4	87	8.1	10.6	41	21	15.6	
A3127 Name of Similar Variety	124	1.5	86	7.4	9.4	41	23	14.9	

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A<sub>2</sub> in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Asgrow Seed Company PVP application - Soybean, A3237 May 12, 1992

### EXHIBIT D

Additional Description of the Variety

A3237 is an early group III cultivar that possesses outstanding and consistent yields relative to other cultivars of similar maturity. A3237 combines the Rps<sub>1</sub><sup>K</sup> gene for Phytophthora resistance with excellent standability and emergence.

Asgrow Seed Company PVP application - Soybean, A3237 May 12, 1992

## EXHIBIT E

## STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

A3237 was originated and developed by Craig K. Moots, Ph.D., an Asgrow Plant Breeder. By agreement between employee and Asgrow Seed Company, all rights to any invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by the employee.